

AWELCO

PROMO 2025 2026

THE ITALIAN TECHNOLOGIES



Volantino al pubblico. Tutti i prezzi sono da intendersi iva inclusa.

COMPACT 163 IN 1

PROMO 01

Codice: 58895

INVERTER

CONNECTABLE TO
POWER GENERATOR

TIG LIFT

MMA

MIG

SYNERGIC

- SPEED
- VOLTAGE
- AMPERAGE
- INDUCTANCE



SAFETY
LVD

IEC 60974-1

EMC

IEC 60974-10

21S
IP

H
CLASS



NO
GAS
ONLY

WIRE SPEED



NO LIVE
TORCH

SPOOL
Ø100
SUPPORTED



100Amp



ACCESSORI INCLUSI



TENSIONE
DI RETE

230V~1ph

POTENZA
ASSORBITA

MIG 3,0 KVA
MMA 3,7 KVA
TIG 2,2 KVA

MIG 2,2 kW
MMA 2,7 kW
TIG 1,7 kW

ELETTRODI

Ø1,6-2,5
(Rutilici - Basici)

~~€352,50~~

€189,00

A101197

IRIS 150

Codice: 61235

INVERTER



WIDE INPUT VOLTAGE



CONNECTABLE TO POWER GENERATOR



MMA



SAFETY LVD
IEC 60974-1



EMC
IEC 60974-10

IGBT
INSULATED GATE BIPOLAR TRANSISTOR

21S IP

F CLASS



TENSIONE DI RETE

230V~1ph

POTENZA ASSORBITA

5,7 kVA

4,3 kW

ELETTRODI

Ø1,6-3,25 (Rutilici)



ACCESSORI INCLUSI



ELETTRODI RUTILICI E6013
CODICE: 90498

Ø 2,0 + 2,5 + 3,25 mm
Lunghezza: 300 mm
10 + 10 + 10 pz



PROMO 02

140Amp

~~€222,00~~

€151,00

A200884

IRIS 180

Codice: 61245

INVERTER



WIDE INPUT VOLTAGE



CONNECTABLE TO POWER GENERATOR



MMA



SAFETY LVD
IEC 60974-1



EMC
IEC 60974-10

IGBT
INSULATED GATE BIPOLAR TRANSISTOR

21S IP

F CLASS



TENSIONE DI RETE

230V~1ph

POTENZA ASSORBITA

6,8 kVA

5,2 kW

ELETTRODI

Ø1,6-4,0 (Rutilici)



ACCESSORI INCLUSI



ELETTRODI RUTILICI E6013
CODICE: 90498

Ø 2,0 + 2,5 + 3,25 mm
Lunghezza: 300 mm
10 + 10 + 10 pz



PROMO 03

160Amp

~~€235,00~~

€159,00

A300935

IRIS 220

Codice: 61275

INVERTER



WIDE INPUT VOLTAGE



CONNECTABLE TO POWER GENERATOR



MMA



SAFETY LVD
IEC 60974-1



EMC
IEC 60974-10

IGBT
INSULATED GATE BIPOLAR TRANSISTOR

21S IP

F CLASS



TENSIONE DI RETE

230V~1ph

POTENZA ASSORBITA

8,7 kVA

6,8 kW

ELETTRODI

Ø1,6-5,0 (Rutilici)



ACCESSORI INCLUSI



ELETTRODI RUTILICI E6013
CODICE: 90498

Ø 2,0 + 2,5 + 3,25 mm
Lunghezza: 300 mm
10 + 10 + 10 pz



PROMO 04

200Amp

~~€269,00~~

€193,00

A401137

MIKROTIG 150

Codice: 68250

INVERTER

WIDE INPUT VOLTAGE

CONNECTABLE TO POWER GENERATOR

MMA

TIG LIFT

CE

SAFETY LVD
IEC 60974-1

EMC
IEC 60974-10

IGBT
INSULATED GATE BIPOLAR TRANSISTOR

21S IP

F CLASS



TENSIONE DI RETE

230V~1ph

POTENZA ASSORBITA

5,7 kVA

4,3 kW

ELETTRODI

Ø1,6-4,0
(Rutilici - Inox - Basici)



ACCESSORI INCLUSI



TORCIA TIG 17V
CODICE: 96000

Duty 35% DC: 140A
Duty 35% AC: 125A
Electrodes size: 0.5-2.4mm



PROMO 05

140Amp

~~€357,00~~
€246,00

A901443

MIKROTIG 170

Codice: 68270

INVERTER

WIDE INPUT VOLTAGE

CONNECTABLE TO POWER GENERATOR

MMA

TIG LIFT

CE

SAFETY LVD
IEC 60974-1

EMC
IEC 60974-10

IGBT
INSULATED GATE BIPOLAR TRANSISTOR

21S IP

F CLASS



TENSIONE DI RETE

230V~1ph

POTENZA ASSORBITA

6,8 kVA

5,2 kW

ELETTRODI

Ø1,6-4,0
(Rutilici - Inox - Basici)



ACCESSORI INCLUSI



TORCIA TIG 17V
CODICE: 96000

Duty 35% DC: 140A
Duty 35% AC: 125A
Electrodes size: 0.5-2.4mm



PROMO 06

160Amp

~~€384,00~~
€269,00

A301578

MIKROTIG 200

Codice: 68300

INVERTER

WIDE INPUT VOLTAGE

CONNECTABLE TO POWER GENERATOR

MMA

TIG LIFT

CE

SAFETY LVD
IEC 60974-1

EMC
IEC 60974-10

IGBT
INSULATED GATE BIPOLAR TRANSISTOR

21S IP

F CLASS



TENSIONE DI RETE

230V~1ph

POTENZA ASSORBITA

8,7 kVA

6,8 kW

ELETTRODI

Ø1,6-5,0
(Rutilici - Inox - Basici)



ACCESSORI INCLUSI



TORCIA TIG 17V
CODICE: 96000

Duty 35% DC: 140A
Duty 35% AC: 125A
Electrodes size: 0.5-2.4mm



PROMO 07

200Amp

~~€417,00~~
€286,00

A701672

EASYMIG 100

Codice: 58800

COMPACT INVERTER CONNECTABLE TO POWER GENERATOR **MIG** **SYNERGIC**
 SPEED VOLTAGE AMPERAGE INDUCTANCE

CE SAFETY LVD IEC 60974-1 EMC IEC 60974-10 21S IP H CLASS NO GAS ONLY WIRE SPEED NO LIVE TORCH SPOOL Ø100 SUPPORTED



TENSIONE DI RETE 230V~1ph POTENZA ASSORBITA 3,3 kVA 2,3 kW



PROMO 08

100Amp

€248,00
€175,00

A801023

PROMO 09

EASYMIG 130

Codice: 58820

PROMO 10

EASYMIG 160

Codice: 58830

PROMO 11

EASYMIG 180

Codice: 58840

INVERTER CONNECTABLE TO POWER GENERATOR **TIG LIFT** **MMA** **MIG**

CE SAFETY LVD IEC 60974-1 EMC IEC 60974-10 21S IP H CLASS GAS NO GAS WIRE SPEED NO LIVE TORCH SPOOL Ø100 SUPPORTED



EASYMIG 130

TENSIONE DI RETE 230V~1ph POTENZA ASSORBITA MIG 4,3 kVA MMA 3,7 kVA TIG 2,4 kVA MIG 3,3 kW MMA 2,9 kW TIG 1,7 kW **130Amp** €343,00 **€241,00** A901416

EASYMIG 160

TENSIONE DI RETE 230V~1ph POTENZA ASSORBITA MIG 5,1 kVA MMA 4,6 kVA TIG 3,1 kVA MIG 3,9 kW MMA 3,5 kW TIG 2,2 kW **150Amp** €370,00 **€260,00** A101524

EASYMIG 180

TENSIONE DI RETE 230V~1ph POTENZA ASSORBITA MIG 6,0 kVA MMA 5,5 kVA TIG 3,6 kVA MIG 4,6 kW MMA 4,3 kW TIG 2,7 kW **170Amp** €426,00 **€299,00** A201752



ACCESSORI INCLUSI



EASYMIG 180 EURO

Codice: 58845

COMPACT INVERTER CONNECTABLE TO POWER GENERATOR **MIG** **SYNERGIC**
 SPEED VOLTAGE AMPERAGE INDUCTANCE

CE SAFETY LVD IEC 60974-1 EMC IEC 60974-10 21S IP H CLASS NO GAS ONLY WIRE SPEED NO LIVE TORCH SPOOL Ø100 SUPPORTED



TENSIONE DI RETE 230V~1ph POTENZA ASSORBITA MIG 6,0 kVA MMA 5,5 kVA TIG 3,6 kVA MIG 4,6 kW MMA 4,3 kW TIG 2,7 kW



PROMO 12

170Amp

€463,00
€325,00

A301904

MIKROMIG 1800

PROMO 13

Codice: 59840

INVERTER



SPOOL
Ø100
Ø200
SUPPORTED

CONNECTABLE TO
POWER GENERATOR

SAFETY
LVD
IEC 60974-1

GAS
NO GAS



TIG LIFT

EMC
IEC 60974-10

WIRE SPEED



MMA

21S
IP



MIG

H
CLASS

NO LIVE
TORCH



170Amp



ACCESSORI INCLUSI



**ELMETTO
1500-G**
CODICE: 90356
DIN 4/9-13
OPTICAL CLASS 1/1/1/2
Arc Sensors: 2
Solar Power
LCD Display

TENSIONE
DI RETE

230V~1ph

POTENZA
ASSORBITA

MIG 6,0 kVA
MMA 5,5 kVA
TIG 3,6 kVA

MIG 4,6 kW
MMA 4,3 kW
TIG 2,7 kW

ELETTRODI

Ø1,6-4,0
(Rutilici - Inox - Basici - Ghisa)

~~€533,00~~
€357,00

A802093

MIKROMIG 2000

PROMO 14

Codice: 59850

INVERTER



SPOOL
Ø100
Ø200
SUPPORTED

CONNECTABLE TO
POWER GENERATOR

SAFETY
LVD
IEC 60974-1

GAS
NO GAS



TIG LIFT

EMC
IEC 60974-10

WIRE SPEED



MMA

21S
IP



MIG

H
CLASS

NO LIVE
TORCH



200Amp



ACCESSORI INCLUSI



**ELMETTO
1500-G**
CODICE: 90356
DIN 4/9-13
OPTICAL CLASS 1/1/1/2
Arc Sensors: 2
Solar Power
LCD Display

TENSIONE
DI RETE

230V~1ph

POTENZA
ASSORBITA

MIG 7,6 kVA
MMA 8,8 kVA
TIG 6,1 kVA

MIG 6,0 kW
MMA 6,8 kW
TIG 4,7 kW

ELETTRODI

Ø1,6-5,0
(Rutilici - Inox - Basici - Ghisa)

~~€603,00~~
€407,00

A902386

TUTTI I PREZZI SONO DA INTENDERSI IVA INCLUSA

PLASMA 40

PROMO 15

Codice: 53185

INVERTER

CUT UP TO
10 - 12 mm

CE

H
CLASS

SAFETY
LVD
IEC 60974-1



EMC
IEC 60974-10



21S
IP



40 Amp

AIR
COMPRESSOR
REQUIRED

MIN
6 Bar



MAX CUTTING THICKNESS (mm)



Cutting
Thickness



10 / 12 mm

CUTTING / SEPARATION



ACCESSORI INCLUSI



~~€362,36~~

€255,00

TENSIONE
DI RETE

230V~1ph

POTENZA
ASSORBITA

5,8 kVA

4,9 kW

TAGLIO MAX

10 mm

A101495



BAT 10

Codice: 77510



CHARGER



EMC
EN 55014

**SAFETY
LVD**
EN 60335-1
EN 60335-2-29



Ah

BAT 10

5 - 30 Ah



Pb

POTENZA 50W

TENSIONE 12V

CORRENTE EFFETTIVA 3,1A



PROMO 16

12V

~~€34,00~~

€24,00

A160142

BAT 13

Codice: 77500



CHARGER



EMC
EN 55014

**SAFETY
LVD**
EN 60335-1
EN 60335-2-29



Ah

BAT 13

5 - 40 Ah



Pb

POTENZA 65W

TENSIONE 6V - 12V

CORRENTE EFFETTIVA 4,0A



PROMO 17

6V-12V

~~€42,00~~

€31,00

A170183

BAT 14

Codice: 77540



CHARGER



EMC
EN 55014

**SAFETY
LVD**
EN 60335-1
EN 60335-2-29



Ah

BAT 14

8 - 65 Ah



Pb

POTENZA 80W

TENSIONE 6V - 12V

CORRENTE EFFETTIVA 6,3A



PROMO 18

6V-12V

~~€49,00~~

€36,00

A190215

BAT 15

Codice: 77550



CHARGER



EMC
EN 55014

**SAFETY
LVD**
EN 60335-1
EN 60335-2-29



Ah

BAT 15

15-110 Ah (12V)
8-55 Ah (24V)



Pb

POTENZA 130W

TENSIONE 12V - 24V

CORRENTE EFFETTIVA 5,2 A (24V) 10,6 A (12V)



PROMO 19

12V-24V

~~€63,25~~

€44,00

A200264

THOR 150

PROMO 20

Codice: 74100

CHARGER **BOOSTER**

FAST CHARGE **SLOW CHARGE**



EMC
EN 55014

SAFETY LVD
EN 60335-1
EN 60335-2-29



REGULATION:



TENSIONE DI RETE

230V~1ph

POTENZA ASSORBITA

290 W
1,9 kW

TENSIONE

12V

12V



~~€198,⁰⁰~~

€140,⁰⁰

A220829

THOR 320

PROMO 21

Codice: 75010

CHARGER **BOOSTER**

FAST CHARGE **SLOW CHARGE**



EMC
EN 55014

SAFETY LVD
EN 60335-1
EN 60335-2-29



REGULATION:



TENSIONE DI RETE

230V~1ph

POTENZA ASSORBITA

690 W
5,3 kW

TENSIONE

12V
24V

12V-24V




~~€362,⁵⁰~~

€254,⁰⁰

A401498

AUTOMATIC 20

Codice: 73450



PROMO 22


12V-24V

~~€85,00~~
€60,00

A260358

BAT MATIC 13

Codice: 73408



PROMO 23


12V

~~€35,00~~
€26,00

A270151

BAT MATIC 25

Codice: 73415



PROMO 24


12V

~~€47,00~~
€35,00

A280205

BAT MATIC 30

Codice: 73420



PROMO 25


12V-24V

~~€59,00~~
€41,00

A290247

BAT MATIC 40

Codice: 73460



PROMO 26

12V-24V

~~€142,00~~
€101,00

A300591

**BRICO
REGOLATORE GAS****P27**

CODE: 92400

~~€34,⁹²~~
€24,⁰⁰

A310149

**MICRO MAX
REGOLATORE GAS****P28**

CODE: 92420

~~€57,⁰⁰~~
€38,⁰⁰

A320225

**MAX FLUX
REGOLATORE GAS****P29**

CODE: 92425

~~€81,⁰⁰~~
€56,⁰⁰

A100337

VULCAN V200**P30**

CODE: 88200

PINZA PORTAELETTRODO 200 A
CABLE: 10-25MM2
MAX ELECTRODES: Ø3,25MM
200A (35%) 120A (60%)~~€8,⁵¹~~
€7,⁰⁰

A340049

VULCAN V300**P31**

CODE: 88300

PINZA PORTAELETTRODO 300 A
CABLE: 16-35MM2
MAX ELECTRODES: Ø4MM
300A (35%) 200A (60%)~~€11,⁰⁰~~
€9,⁰⁰

A350057

VULCAN V500**P32**

CODE: 88500

PINZA PORTAELETTRODO 500 A
CABLE: 35-70MM2
MAX ELECTRODES: Ø8MM
500A (35%) 400A (60%)~~€22,²⁰~~
€16,⁰⁰

A360094

KONTACT K200**P33**

CODE: 89200

PINZA MASSA 160 A
CABLE: 10-16MM2
160A (35%) 80A (60%)~~€6,²⁵~~
€6,⁰⁰

A370035

KONTACT K300**P34**

CODE: 89300

PINZA MASSA 300 A
CABLE: 10-35MM2
200A (35%) 250A (60%)~~€8,⁷⁵~~
€6,⁰⁰

A380031

KONTACT K500**P35**

CODE: 89500

PINZA MASSA 500 A
CABLE: 25-70MM2
500A (35%) 350A (60%)~~€23,⁰⁰~~
€18,⁰⁰

A390102

KIT MAGNETI**P36**

CODE: 98027

45° - 90° - 135°
MAX: 4KG~~€11,³⁴~~
€9,⁰⁰

A490051

MAGNETE**P37**

CODE: 88031

45° - 90° - 135°
MAX: 23KG~~€8,³⁴~~
€7,⁰⁰

A410048

MAGNETE GRANDE**P38**

CODE: 88041

45° - 90° - 135°
MAX: 35KG~~€11,³⁴~~
€9,⁰⁰

A420056

**ELETTRODI
RUTILICI E6013****P39**

CODE: 90495

Ø 2,0 mm
Lunghezza: 300 mm
50 pz



~~€12,40~~
€9,00

A430053

**ELETTRODI
RUTILICI E6013****P40**

CODE: 90496

Ø 2,5 mm
Lunghezza: 300 mm
30 pz



~~€11,00~~
€9,00

A440058

**ELETTRODI
RUTILICI E6013****P41**

CODE: 90497

Ø 3,25 mm
Lunghezza: 300 mm
20 pz



~~€11,00~~
€9,00

A890051

**ELETTRODI
RUTILICI E6013****P42**

CODE: 90498

Ø 2,0 + 2,5 + 3,25 mm
Lunghezza: 300 mm
10 + 10 + 10 pz



~~€14,40~~
€11,00

A810067

**ELETTRODI
RUTILICI E6013****P43**

CODE: 90499

Ø 2,5 mm
Lunghezza: 300 mm
121 pz



~~€13,50~~
€11,00

A920061

**ELETTRODI
RUTILICI E6013****P44**

CODE: 90480

Ø 2,0 mm
Lunghezza: 300 mm
50 pz



~~€8,05~~
€7,00

A720045

**ELETTRODI
RUTILICI E6013****P45**

CODE: 90481

Ø 2,5 mm
Lunghezza: 300 mm
50 pz



~~€10,20~~
€9,00

A730054

**ELETTRODI
RUTILICI E6013****P46**

CODE: 90490

Ø 3,25 mm
Lunghezza: 300 mm
15 pz



~~€5,40~~
€6,00

A180032

**ELETTRODI
RUTILICI E6013****P47**

CODE: 90790

Ø 2,0 + 2,5 + 3,25 mm
Lunghezza: 300 mm
50 + 50 + 30 pz



~~€15,00~~
€12,00

A510074

**FILO SALDATURA
STEEL****P48**

CODE: 92903

Ø 0,6 mm
0,5 kg~~€9,40~~
€7,00

A520041

**FILO SALDATURA
STEEL****P49**

CODE: 92916

Ø 0,8 mm
0,5 kg~~€8,00~~
€7,00

A530048

**FILO SALDATURA
STEEL****P50**

CODE: 92931

Ø 0,8 mm
1,0 kg~~€12,00~~
€9,00

A540053

**FILO SALDATURA
STEEL****P51**

CODE: 92933

Ø 1,0 mm
1,0 kg~~€13,40~~
€11,00

A550068

**FILO SALDATURA
ALU****P52**

CODE: 92948

Ø 0,8 mm
0,45 kg~~€33,00~~
€24,00

A570149

**FILO SALDATURA
FLUX / FILO NO GAS****P53**

CODE: 92953

Ø 0,8 mm
0,5 kg~~€16,00~~
€12,00

A560071

**FILO SALDATURA
FLUX / FILO NO GAS****P54**

CODE: 92954

Ø 0,8 mm
1,0 kg~~€23,00~~
€18,00

A810104

**FILO SALDATURA
FLUX / FILO NO GAS****P55**

CODE: 92960

Ø 0,9 mm
0,5 kg~~€14,00~~
€11,00

A590067

**FILO SALDATURA
FLUX / FILO NO GAS****P56**

CODE: 92967

Ø 0,9 mm
1,0 kg~~€20,00~~
€19,00

A600118

ELMETTO 2000-E 11

CODE: 90385

- SHADE DIN 11 FIX
- OPTICAL CLASS 1/1/1/2
- UV/IR PROTECTION
- 2 ARC SENSORS
- SOLAR POWER
- LCD DISPLAY

~~€53,20~~
€36,00

A610214



P57

ELMETTO 2000-E

CODE: 90390

- SHADE VARIABLE DIN 4/9-13
- SENSITIVITY & DELAY TIME ADJUSTABLE
- OPTICAL CLASS 1/1/1/2
- UV/IR PROTECTION
- 2 ARC SENSORS
- SOLAR POWER
- LCD DISPLAY

~~€58,80~~
€39,00

A620238



P58

ELMETTO 3000-E ORION

CODE: 90351

- SHADE VARIABLE DIN 4/9-13
- SENSITIVITY & DELAY TIME ADJUSTABLE
- OPTICAL CLASS 1/1/1/2
- UV/IR PROTECTION
- 4 ARC SENSORS
- SOLAR POWER
- LCD DISPLAY
- GRINDING MODE

~~€89,60~~
€60,00

A630354



P59

ELMETTO 3000-E JOKER

CODE: 90352

- SHADE VARIABLE DIN 4/9-13
- SENSITIVITY & DELAY TIME ADJUSTABLE
- OPTICAL CLASS 1/1/1/2
- UV/IR PROTECTION
- 2 ARC SENSORS
- SOLAR POWER
- LCD DISPLAY
- GRINDING MODE

~~€89,60~~
€60,00

A640357



P60

ELMETTO 3000-E FLIPUP

CODE: 90353

- SHADE VARIABLE DIN 4/5-8/9-13
- SENSITIVITY & DELAY TIME ADJUSTABLE
- OPTICAL CLASS 1/1/1/2
- UV/IR PROTECTION
- 4 ARC SENSORS
- SOLAR POWER
- LCD DISPLAY
- GRINDING MODE

~~€88,20~~
€60,00

A650351



P61

ELMETTO 4000-E

CODE: 90397

- SHADE VARIABLE DIN 4/5-8/9-13
- SENSITIVITY & DELAY TIME ADJUSTABLE
- OPTICAL CLASS 1/1/1/1
- UV/IR PROTECTION
- 4 ARC SENSORS
- SOLAR POWER
- LCD DISPLAY
- GRINDING MODE

~~€109,20~~
€74,00

A660436



P62

ELMETTO 5000-E

CODE: 90399

- SHADE VARIABLE DIN 4/5-8/9-13
- SENSITIVITY & DELAY TIME ADJUSTABLE
- OPTICAL CLASS 1/1/1/2
- UV/IR PROTECTION
- 4 ARC SENSORS
- SOLAR POWER
- LCD DISPLAY
- GRINDING MODE

~~€126,00~~
€86,00

A670502



P63

ELMETTO 7000-E

CODE: 95715

- SHADE VARIABLE DIN 4-8/9-13
- SENSITIVITY & DELAY TIME ADJUSTABLE
- OPTICAL CLASS 1/1/1/2
- UV/IR PROTECTION
- 4 ARC SENSORS
- SOLAR POWER
- TIG RATING 2A-350A
- GRINDING MODE

~~€162,40~~
€111,00

A680653



P64

LEGEND

 50-60Hz	IT - Tensione di rete FR - Tension de secteur GB - Mains voltage E - Tensión de red D - Netzspannung RU - Напряжение сети	 40° EN 60974-1	IT - Fattore di servizio FR - Facteur de marche GB - Duty cycle E - Ciclo de servicio D - Einschaltdauer RU - Соотношение прерывистости	 EN 60974-6 ton	IT - Tempo di saldatura continuo nominale (EN 60974-6). FR - Temps de soudage continu nominal (EN 60974-6). GB - Rated continuous welding time (EN 60974-6). E - Tiempo de soldadura continua nominal (EN 60974-6). D - Nenn-Dauer-Schweißzeit (EN 60974-6). RU - Номинальное время непрерывной сварки (60974-6).
	IT - Corrente di carica FR - Courant de charge GB - Charge current E - Corriente de carga D - Ladestrom RU - зарядный ток	 Ø mm	IT - Diametro elettrodi FR - Diamètre électrodes GB - Electrode diameter E - Diámetro electrodos D - Elektroden durchmesser RU - Диаметр электрода	 EN 60974-6 Σ ton	IT - Tempo di saldatura nominale in 1 ora (EN 60974-6). FR - Temps de soudage nominal en 1 heure (EN 60974-6). GB - Rated welding time in 1h (EN 60974-6). E - Tiempo de soldadura nominal en 1 hora (EN 60974-6). D - Nenn-Schweißzeit in 1 Stunde (EN 60974-6). RU - Номинальное время сварки 1 час (60974-6).
 SG2	IT - Diametro filo saldatura acciaio FR - Diamètre fil de soudage acier GB - Steel welding wire diameter E - Diámetro hilode soldadura acero D - Stahl Schweissdraht Durchmesser RU - Диаметр проволоки для сварки стали		IT - Corrente massima FR - Courant max. GB - Max current E - Corriente máx D - Max Strom RU - Максимальный ток	 <50W	IT - Consumo energetico in stato di inattività FR - Consommation d'énergie à l'état inactif GB - Idle state power consumption E - Consumo de energia D - Leerlaufleistung RU - Потребление энергии в режиме ожидания
 INOX	IT - Diametro filo saldatura inox FR - Diamètre fil de soudage inox GB - Stainless steel welding wire diameter E - Diámetro hilode soldadura acero inoxidable D - Edelstahl Schweissdraht Durchmesser RU - Диаметр проволоки для сварки нержавеющей стали	 *AWELCO - NOT EN60974-1	IT - Fattore di servizio FR - Facteur de marche GB - Duty cycle E - Ciclo de servicio D - Einschaltdauer RU - Соотношение прерывистости	 >80%	IT - Efficienza della saldatrice FR - Efficacité de la source d'alimentation GB - Power source efficiency E - Eficiencia de la fuente de alimentación D - Effizienz der Stromquelle RU - Эффективность источника питания
 ALU	IT - Diametro filo saldatura alluminio FR - Diamètre fil de soudage aluminium GB - Aluminium welding wire diameter E - Diámetro hilode soldadura aluminio D - Alu Schweissdraht Durchmesser RU - Диаметр проволоки для сварки алюминия		IT - Grado di protezione FR - Degré de protection GB - Protection degree E - Grado de proteccion D - Schutzgrad RU - Степень защиты		
	IT - Nessun fusibile FR - Pas de fusible GB - No Fuse E - Sin fusible D - keine Sicherung RU - Нет предохранителя		IT - Corrente efficace FR - Courant Efficace GB - Effective current E - Corriente eficaz D - Effektiver Strom RU - Эффективный ток		
 I ₂	IT - Corrente media FR - Courant moyen GB - Average current E - Corriente media D - Durchschnittlicher Strom RU - Среднее значение тока		IT - Tensione di carica/avviamento FR - Tension de charge et de demarrage GB - Charge/starter voltage E - Tensión de carga y de puesta en marcha D - Lade/anlass Spannung RU - Напряжение заряда/запуска		
 Ah	IT - Capacità della batteria FR - Capacité de la batterie GB - Battery capacity E - Capacidad de la batería D - Kapazität der Batterie RU - Макс холостое напряжение		IT - Codice FR - Code GB - Code E - Código D - Kode RU - код		
 P _{MAX} W	IT - Potenza assorbita FR - Puissance absorbée GB - Absorbed power E - Potencia absorbida D - Leistungsaufnahme RU - Поглощенная мощность		IT - Dimensioni FR - Dimensions GB - Dimensions E - Dimensiones D - Abmessungen RU - Размеры		
 V ₀	IT - Tensione a vuoto max FR - Tension a vide max GB - Max no load voltage E - Tension en vacio max. D - Leerlaufspannung RU - Макс. холостое напряжение		IT - Quantità per box/masterbox FR - Quantité par box/masterbox GB - Quantity per box/masterbox E - Cantidad por caja/caja master D - Menge pro box/master RU - Количество для бокса/мастер-бокса		
 1 V/C	IT - Corrente di carica convenzionale FR - Courant conventionnel de charge GB - Rated charge current E - Corriente de carga convencional D - Konventioneller Ladestrom RU - Ток конвенционального заряда		IT - Peso FR - Poids GB - Weight E - Peso D - Gewicht RU - вес		
 MIN MAX	IT - Campo regolazione FR - Plage de réglage courant GB - Current range corrente E - Plage de réglage courant D - Regelbereich RU - Диапазон регулирования тока	 BAR CODE	IT - Codice a barre FR - Code barre GB - Bar Code E - Código barra D - EAN Code RU - EAN		
 BOOST	IT - Avviamento FR - Démarrage GB - Start E - Arranque D - Anlassen RU - Пуск		IT - Quantità per pedana FR - Quantité par palette GB - Quantity per pallet E - Cantidad por pallet D - Menge pro Palette RU - Количеств в опаллете		
	IT - Posizioni di regolazione FR - Positions de réglage GB - Adjustment positions E - Posiciones de regulation D - Schaltstufen RU - Положение регулирования		IT - Volume scatola FR - Volume carton GB - Box volume E - Volumen caja D - Karton volume RU - Объем упаковки		

TECHNOLOGY

 IT - Saldatura ad elettrodo FR - Poste a souder MMA GB - MMA welding machine E - Equipos de soldadura MMA D - MMA Schweißgerät RU - Сварочный Аппарат MMA	 IT - Saldatura al plasma FR - Poste a souder plasma GB - Plasma welding machine E - Equipos de soldadura plasma D - Plasma Schweißgerät RU - Аппарат ДляПлазменной Резки	 IT - Caricabatterie-Avviatore FR - Chargeur-Demarreur GB - Battery-charger-boost E - Cargadores y ayuda dearranques D - Ladegerät und Anlasser RU - Пуско-Зарядное Устройство	 IT - Bombole di gas ricaricabili FR - Bouteilles de gaz rechargeables GB - Rechargeable gas bottles E - Botellas de gas recargables D - Wiederaufladbare Gasflaschen RU - многоразовые газовые баллоны
 IT - Saldatura a TIG FR - Poste a souder TIG GB - TIG welding machine E - Equipos de soldadura TIG D - WIG Schweißgerät RU - Сварочный Аппарат Тиг	 IT - Saldatura Mig-Mag-Mog FR - Poste a souder a fil continue GB - Mig-Mag-Mog welding machine E - Equipos de soldadura Mig D - Mig-Mag-Mog Schweißgerät RU - Сварочный Аппарат Мир-Mar-Mor	 IT - Caricabatterie FR - Chargeur de batterie GB - Battery-charger E - Cargadores y ayuda dearranques D - Batterieladegerät RU - Зарядное Устройство	 IT - Avviatore FR - Demarreur GB - Booster E - Aumentador de presión D - Booster RU - Бустер


PERFORMANCE

 IT - Telecomando FR - Télécommande GB - Remote Control E - Telecomando D - Fernsteuerung RU - Дистанционное Управление	 IT - Riduttore 2 manometri FR - Détendeur 2 manomètres GB - 2 Gauges gas reducer E - Regulador 2 manómetros D - Druckregler 2 Manometer RU - ВКомплекте Газовый Редуктор С Двумя Манометрами	 GB - Ramp Burn Back, Timer On, Wire Speed RU - Меню Выбора Режимов Сварки	 IT - Facile da trasportare FR - Facile à transporter GB - Easy to carry E - Facile de transporter D - leicht zu tragen RU - легко переносить
 IT - Regolazione velocità del filo FR - Régulateur de la vitesse du fil GB - Wire speed regulator E - Regulador de velocidad de alambre D - Drahtgeschwindigkeit-Regler RU - Регулятор Скорости Поддачи Проволоки	 IT - Partenza Ad Alta Frequenza FR - Amorceage Avec Hf GB - High Frequency Start E - Inicio Con Alta Frecuencia D - Hochfrequenzstart RU - Высокочастотный Поджиг	 IT - Termostato FR - Thérmostat GB - Thermostatic Control E - Termostado D - Thermostat RU - Термостатический Контроль	 IT - Funzione tampone-Autospegnimento FR - Fonction du tampon-Self control GB - Buffer function-Self control E - Function Tampon-Self Apagamiento D - Buffer Funktion-Selbstausschaltungskontrolle RU - Функция Буфера-Самоконтроль
 IT - Trainfilo a 4 rulli FR - Dévidoir de fil 4 rouleaux GB - Wirefeeder 4 reels E - Alimentador de hilo 4 rollos D - Drahtvorschub mit 4 Räder RU - 4 Ролика Поддачи Проволоки	 IT - Amperometro Analogico FR - Ampèremètre Analogique GB - Analogic Amperometer E - Amperímetro Analogico D - Analogisches Ammeter RU - Амперметр	 IT - Protezione da inversione di polarità FR - Protection inversion de polarité GB - Reverse polarity protection E - Protección de polaridad inversa D - Polarität Inversionsschutz RU - Защита От Неправильной Полярности	 IT - Connessione Diretta Torcia FR - Connexion Directe GB - Direct Connection Torch E - Conexión Directa D - Direktanschluss RU - Несъемный Сварочный Пистолет
 IT - 2 Induttanza FR - 2 Inductance GB - 2 Inductance E - 2 Inductancia D - 2 Induktivität RU - 2 Катушки Индуктивности	 GB - Burn Back, Pre-Gas, Timer On, Timer Off, 2t,4t, Wire Speed RU - Меню Выбора Режимов Сварки	 IT - Accessori Inclusi FR - Accessoires Complete GB - Accessories Included E - Accesorios Completos D - Zubehör Inklusive RU - С Аксессуарами	 IT - Hot Start FR - Hot Start GB - Hot Start E - Hot Start D - Hot Start RU - Функции Горячего
 IT - Anti Stick FR - Anti Stick GB - Anti Stick E - Anti Stick D - Anti Stick RU - Предотвращения Залипания Электрода	 IT - Arc force FR - Arc force GB - Arc force E - Arc force D - Arc force RU - Модуляция Сварочного Тока	 IT - Ventilata FR - Ventilateur GB - Fan E - Ventilador D - Ventilator RU - Вентилятор	 IT - Gas / No Gas FR - Gaz / Pas de gaz GB - Gas / No Gas E - Gas / No Gas D - Gas / kein Gas RU - Газовая/ Безгазовая Сварка
 IT - Trainfilo A 2 Rulli Dentati FR - Dévidoir De Fil 2 Roleaux Denté GB - Wirefeeder 2 Gear Reels E - Alimentador 2 Rollos Engranaje D - Drahtvorshub Mit 2 Zahnradern RU - 2 Ведущих Ролика Поддачи Проволоки	 GB - Lifting arc RU - Сварка На Поднятой Дуге	 IT - Ganci di sollevamento FR - Crochets de soulèvement GB - Lifting Hooks E - Ganchos De Sublevación D - Behehaken RU - Крючки Для Подъема	 IT - Carica Lenta FR - Charge lente GB - Slow Charging E - Carga Lenta D - Langsame Ladung RU - Медленная Зарядка
 IT - Carica Veloce FR - Charge Rapide GB - Fast Charging E - Carga Veloz D - Schnelle Ladung RU - Быстрая Зарядка	 IT - Kit ruote FR - Kit roulant GB - Wheel kit E - Kit ruedas D - Räder kit RU - Оснащен Колесами	 IT - Attacco Torcia "Euro" FR - Connecteur Torche "Euro" GB - "Euro" Torch Connector E - Enchufe Antorcha Euro D - "Euro" Brenner Anschluss RU - Евро-Разъем	 IT - Avvolgimenti in rame FR - Bobinage en cuivre GB - Copper windings E - Bobinaje en cobre D - Kupfer wicklungen RU - Аппарат Для Плазменной Резки
 IT - Riduttore FR - Regulador GB - Gas Reducer E - Regulador D - Druckregler RU - Редуцировать газ	 IT - Presa FR - Prise GB - Socket E - Enchufe D - Steckdose RU - Разъем	 IT - Presa FR - Prise GB - Socket E - Enchufe D - Steckdose RU - Разъем	 IT - Presa FR - Prise GB - Socket E - Enchufe D - Steckdose RU - Разъем
 IT - Filo Animato FR - Fil Fourré GB - Flux Cored Wire E - Hilo Animado D - Fülldrahtrolle RU - Порошковая Электродная Проволока	 IT - Torcia senza tensione FR - Torche complètement isolé GB - No Voltage On Torch E - Antorcha Aislada D - Keine Spannung auf dem Brenner RU - Сварочный ПистолетНе Находится ПодНапряжением	 IT - Uscita 70v Basica FR - Sortie 70v Basique GB - Basio 70v Exit E - Salida 70v Basica D - Ausgangsklemme 70v RU - Базовый Выход 70v	 IT - Temperatura Media 20° FR - Température Moyenne 20° GB - Average Temperature 20° E - Temperatura Promedio 20° D - Durchschnitt Temperatur 20° RU - Средняя Температура 20°
 IT - Accumulatore di energia FR - Banque d'alimentation GB - Power bank E - Banco de energia D - Powerbank RU - Внешний аккумулятор	 IT - Luce FR - Lumière GB - Light E - Ligero D - Hell RU - Светлый	 IT - Indicatore BAR FR - Indicateur BARRE GB - BAR indicator E - Indicador de BARRA D - BAR-Anzeige RU - Индикатор BAR	 IT - Riduttore 1 manometro FR - 1 réducteur de manomètre GB - 1 pressure gauge reducer E - 1 reductor de manómetro D - 1 Manometer-Reduzierstück RU - 1 редуктор манометра

AWELCO PLUS

 IT - Vernice Antigraffio FR - Peinture Antichoc GB - Anti-Scratch Paint E - Pintura Antichoque D - Kratzfester Lack RU - Антивандальное Покрытие	 IT - 32 Regolazioni FR - 32 Réglages Du Courant GB - 32 Regulation E - 32 Regulaciones D - 32 Regelung RU - Сварочного Тока	 IT - Doppio Amperometro FR - Double Ampèremètre GB - Double Ammeter E - Doble Amperímetro D - Doppelter Strommesser RU - Два Амперметра	 IT - Doppia Ventilazione FR - Double Ventilation GB - Double Fan E - Doble Ventilación D - Doppelter Ventilator RU - Два Вентилятора
 IT - Carrozzeria Rinforzata FR - Carrosserie Très Solide GB - Reinforced Body E - Carroceria Reforzada D - Druckregler RU - Усиленный Корпус	 IT - Accessoriale Con Swf FR - Il Peut Être Équipé Avec Dévidoir Séparé (Swf) GB - Swf Ready E - Equipable Con Arrastre Separado (Swf) D - Swf Bereit RU - Готов К Работе	 IT - Telecomando 2 Pulsanti FR - Télécommande A Deux Boutons GB - 2 Buttons Remote Control E - 2 Pulsante Telecomando D - 2 Druckknopf Fernsteuerung RU - Дистанционное Управление С Двумя Кнопками	 IT - Torcia Con Molloni FR - Torche Avec Ressort De Protection GB - Sprin On Torch E - Antorcha Con Resortes De Protección D - Gebläselampe Mit Klammern RU - Предохранение Предохранение От Излома Кабеля
 IT - Indicatore Di Velocità FR - Indicateur Vitesse GB - Speed Indicator E - Indicador De Velocidad D - Geschwindigkeitsanzeiger RU - Индикатор Скорости Поддачи Проволоки	 IT - Accessori Montati FR - Accessoires Montés GB - Accessoried Assembled E - Accesorios Montados D - Montierte Zubehörteile RU - Комплекующие Установлены	 IT - Collegabile Al Gruppo Elettrogeno FR - Connectable Au Groupe Électrogène GB - Power Generator Connectable E - A Generadores De Corriente D - Connectable RU - Адаптирован Для Подключения К Генератору	 IT - Pinze Anti-Shock FR - Pincés Anti-Choc GB - Shock Clamp E - Pinzas Anti-Choque D - Anti-Shock Klemme RU - Изолированный Зажим

AWELCO



Inquadra il QR-code
per visualizzare la versione
aggiornata del catalogo.

THE ITALIAN TECHNOLOGIES



Zona Industriale - 83040

Conza della Campania (AV) - Italy

Tel. (+39) 0827 363601 - Fax. (+39) 0827 36940

info@awelco.com - www.awelco.com