

AWELCO

THE ITALIAN TECHNOLOGIES



PROMO 2025 2026

Volantino al pubblico. Tutti i prezzi sono da intendersi iva inclusa.

PROMO 01

ARC 160

Codice: 51916

PROMO 02

ARC 180

Codice: 51918

PROMO 03

ARC 250

Codice: 51925



INVERTER

WIDE INPUT
VOLTAGE

CONNECTABLE TO
POWER GENERATOR

MMA

MMA
SYNERGIC

TIG LIFT

ADJUSTABLE
ARC FORCE

ADJUSTABLE
HOT START

CE

SAFETY
LVD
IEC 60974-1

EMC
IEC 60974-10

IGBT
INSULATED
GATE
BIPOLAR
TRANSISTOR

21S
IP

F
CLASS

ARC FORCE

HOT START

ANTI STICK

ARC 160

TENSIONE
DI RETE

230V~1ph

POTENZA
ASSORBITA

MMA 5,7 kVA
TIG 3,3 kVA

140Amp

€235,00

€169,00

AW100992

ARC 180

TENSIONE
DI RETE

230V~1ph

POTENZA
ASSORBITA

MMA 6,8 kVA
TIG 4,4 kVA

160Amp

€255,00

€187,00

AW201094

ARC 250

TENSIONE
DI RETE

230V~1ph

POTENZA
ASSORBITA

MMA 8,7 kVA
TIG 5,9 kVA

200Amp

€340,00

€239,00

AW301395



ACCESSORI INCLUSI



PLUS 210

Codice: 55721

INVERTER		 WIDE INPUT VOLTAGE		 CONNECTABLE TO POWER GENERATOR	
 MMA		100% DUTY CYCLE		 CONNECTOR 35-50 	
 SAFETY LVD IEC 60974-1		 EMC IEC 60974-10		 IGBT INSULATED GATE BIPOLAR TRANSISTOR	
21S IP		H CLASS		 DM50 SOCKET  Ø 13mm	
TENSIONE DI RETE		230V~1ph		POTENZA ASSORBITA	
				8,5 kVA	
				6,5 kW	
ELETTRODI				(Rutilici - In	



ACCESSORI INCLUSI



ELETTRODI RUTILICI E6013
CODICE: 90744
Ø 2,5 mm
Lunghezza: 300 mm
202 pz



ELMETTO 2000-E
CODICE: 90390
Shade variable din 4/9-13
Sensitivity & delay time adjustable
Optical class 1/1/1/2
UV/IR protection
2 Arc sensors
Solar power
LCD display



PROMO 04

200Amp

~~€478,00~~
€323,00

AW401892

PLUS 250 TIG LIFT

Codice: 55725

INVERTER	 WIDE INPUT VOLTAGE	 CONNECTABLE TO POWER GENERATOR	100% DUTY CYCLE			
 MMA	 TIG LIFT	 CONNECTOR 35-50 				
 SAFETY LVD IEC 60974-1	 EMC IEC 60974-10	 IGBT INSULATED GATE BIPOLAR TRANSISTOR	 21S IP	 H CLASS	 DM50 SOCKET  Ø13mm	
TENSIONE DI RETE	230V~1ph	POTENZA ASSORBITA	9,6 kVA	7,4 kW	ELETTRODI	Ø1,6-5,0 (Rutilici - Inox - Basici - Ghisa)



ACCESSORI INCLUSI



ELETTRODI RUTILICI E6013
CODICE: 90744
Ø 2,5 mm
Lunghezza: 300 mm
202 pz



ELMETTO 2000-E
CODICE: 90390
Shade variable din 4/9-13
Sensitivity & delay time adjustable
Optical class 1/1/1/2
UV/IR protection
2 Arc sensors
Solar power
LCD display



PROMO 05

220Amp

~~€511,00~~
€339,00

AW501993

PLUS 210 CELL

Codice: 55730

INVERTER	 WIDE INPUT VOLTAGE	 CONNECTABLE TO POWER GENERATOR	100% DUTY CYCLE			
 MMA	 SUITABLE FOR CELLULOSIC AWS E6010	 CONNECTOR 35-50 				
 SAFETY LVD IEC 60974-1	 EMC IEC 60974-10	 IGBT INSULATED GATE BIPOLAR TRANSISTOR	 21S IP	 H CLASS	 DM50 SOCKET 	
TENSIONE DI RETE	230V~1ph	POTENZA ASSORBITA	8,5 kVA	7,0 kW	ELETTRODI	Ø1,6-5,0 (Rutilici - Inox - Basici - Ghisa)



ACCESSORI INCLUSI



ELETTRODI RUTILICI E6013
CODICE: 90744
Ø 2,5 mm
Lunghezza: 300 mm
202 pz



ELMETTO 2000-E
CODICE: 90390
Shade variable din 4/9-13
Sensitivity & delay time adjustable
Optical class 1/1/1/2
UV/IR protection
2 Arc sensors
Solar power
LCD display



PROMO 06

200Amp


~~€678,00~~
€453,00

AW602657

MULTI MIKRO 200

PROMO 07

Codice: 59095



200Amp

~~€856,00~~
€596,00


AW703496

TENSIONE DI RETE 230V~1ph POTENZA ASSORBITA 8,2 kVA 6,7 kW ELETTRODI Ø1,6-3,2

SMARTMIG 2200

PROMO 08

Codice: 59190



200Amp

~~€1.205,00~~
€869,00

AW805091

TENSIONE DI RETE 230V~1ph POTENZA ASSORBITA MIG 8,2 kVA MMA 9,6 kVA TIG 6,2 kVA MIG 5,8 kW MMA 6,4 kW TIG 4,4 kW ELETTRODI Ø1,6-4,0 (Rutilici - Inox - Basici - Ghisa)

TUTTI I PREZZI SONO DA INTENDERSI IVA INCLUSA

TRIS 250

Codice: N18190



BOMBOLA GAS
13,6L / ARGON+CO₂
CODICE: 92494

REGOLATORE
TURBO PROF
CODICE: 92450



200Amp

€1.605,00

€1.099,00

AW906598

TENSIONE
DI RETE

230V~1ph

POTENZA
ASSORBITA

MIG 9,5 kVA
MMA 8,7 kVA
TIG 6,3 kVA


MIG 7,4 kW
MMA 6,8 kW
TIG 4,9 kW

ELETTRODI

Ø1,6-5,0
(Rutilici - Inox - Basici - Ghisa)

SINERGY 250

Codice: N18200



SYNERGIC
• SPEED
• VOLTAGE
• AMPERAGE
• INDUCTANCE



BOMBOLA GAS
13,6L / ARGON+CO₂
CODICE: 92494

REGOLATORE
TURBO PROF
CODICE: 92450



200Amp

€1.717,00

€1.195,00

AW706992

TENSIONE
DI RETE

230V~1ph

POTENZA
ASSORBITA

MIG 8,5 kVA
MMA 10 kVA
TIG 6,5 kVA

MIG 5,8 kW
MMA 6,4 kW
TIG 4,4 kW

ELETTRODI

Ø1,6-4,0
(Rutilici - Inox - Basici - Ghisa)

MIG 352

Codice: N18331



ALUMINIUM **INVERTER** CONNECTABLE TO POWER GENERATOR

VRD VOLTAGE REDUCTION DEVICE **TIG LIFT** **MIG**

MMA **CONNECTOR** 35-50



ELMETTO 5500-E
CODICE: 95700
Shade variable din 5-9/9-13
Sensitivity & delay time adjustable
Optical class 1/1/1/1
UV/IR protection
4 Arc sensors
Solar power
LCD display



250Amp

TENSIONE DI RETE 230V~1ph

POTENZA ASSORBITA

MIG 11,6 kVA
MMA 10,5 kVA
TIG 8,6 kVA

MIG 8,9 kW
MMA 8,0 kW
TIG 6,3 kW

ELETTRODI Ø1,6-5,0 (6)

~~€2.193,00~~
€1.502,00

AW308794

PRESIDENT 350

Codice: 58550



INVERTER CONNECTABLE TO POWER GENERATOR **CONNECTOR** 35-50

VRD VOLTAGE REDUCTION DEVICE **MMA**



ELMETTO 5000-E
CODICE: 90399
Shade variable din 4/5-8/9-13
Sensitivity & delay time adjustable
Optical class 1/1/1/2
UV/IR protection
4 Arc sensors
Solar power
LCD Display
Grinding mode



320Amp

TENSIONE DI RETE 400V~3ph

POTENZA ASSORBITA

15,9 kVA

12,4 kW

ELETTRODI

Ø1,6-6,0
(Rutilici - Inox - Basici - Ghisa-Cellulosico)

~~€1.426,00~~
€938,00


AW405497

DOUBLE PULSEMIG 2500

PROMO 13

Codice: 59210

200Amp




TENSIONE DI RETE	230V~1ph	POTENZA ASSORBITA	MIG 7,6 kVA MMA 7,1 kVA TIG 5,2 kVA	MIG 5,8 kW MMA 5,5 kW TIG 3,7 kW	ELETTRODI
------------------	----------	-------------------	---	--	-----------

Ø1,6-5,0
(Rutilici - Inox - Basici - Ghisa)

~~€1.447,5⁰⁰~~
€1.039,00

AW406091



MIG 350 SWF SYNERGIC PULSE

PROMO 14

Codice: N18715

350Amp

CE	SAFETY LVD IEC 60974-1	
EMC IEC 60974-10	EURO 	IGBT INSULATED GATE BIPOLAR TRANSISTOR
NO LIVE TORCH 	21S IP	H CLASS
		PULSE
GAS NO GAS	S2T S4T MODE	2T 4T MODE

INVERTER	CONNECTABLE TO POWER GENERATOR
MMA	TIG LIFT
MIG	WATER COOLED OPTIONAL
WHEEL KIT INCLUDED	CONNECTION CABLE 5m

TENSIONE DI RETE	400V~3ph	POTENZA ASSORBITA	18 kVA
-------------------------	----------	--------------------------	--------

ACCESSORI INCLUSI

OPTIONAL

WATER COOLING
COD. 90986



~~€4.750,00~~
€3.415,00

AW019993



TUTTI I PREZZI SONO DA INTENDERSI IVA INCLUSA

MIG 500 SWF SYNERGIC PULSE

PROMO 15

Codice: N18720

500Amp

CE	SAFETY LVD IEC 60974-1	
EMC IEC 60974-10	EURO 	IGBT INSULATED GATE BIPOLAR TRANSISTOR
NO LIVE TORCH 	21S IP	H CLASS
		PULSE
GAS NO GAS	S2T S4T MODE	2T 4T MODE
INVERTER		
CONNECTABLE TO POWER GENERATOR		
MMA	TIG LIFT	
MIG		
WHEEL KIT INCLUDED + CONNECTION CABLE 5m		



TENSIONE DI RETE

400V~3ph

POTENZA ASSORBITA

27 kVA



ACCESSORI INCLUSI



WATER COOLED TORCH

~~€7.000,00~~
€5.054,00

AW029591



TIG 200 I HF-DC PULSE

PROMO 16

Codice: 58195



160Amp

€1.063,00

€699,00

AW504095

TENSIONE DI RETE

230V~1ph

POTENZA ASSORBITA

MMA 6,6 kVA
TIG 6,1 kVA

MMA 5,0 kW
TIG 4,7 kW

ELETTRODI

Ø1,6-4,0
(Rutilici - Inox - Basici - Ghisa)

TIG 200 AC/DC PULSE

PROMO 17

Codice: 58020



200Amp

€1.749,00

€1.195,00

AW306997

TENSIONE DI RETE

230V~1ph

POTENZA ASSORBITA

5,8 kVA

4,0 kW

ELETTRODI

1,6-3,2
(Tungsten Electrode)
1,6-4,0
(Rutilici - Inox - Basici - Ghisa)

TUTTI I PREZZI SONO DA INTENDERSI IVA INCLUSA

PLASMA 40K

PROMO 18

Codice: 53189

40Amp



INVERTER

COMPRESSOR INSIDE

OPTION EXTERNAL COMPRESSOR CONNECTABLE

CUT UP TO 15 mm

MAX CUTTING THICKNESS (mm)

Cutting Thickness

15 mm



ACCESSORI INCLUSI



TENSIONE DI RETE

230V~1ph

POTENZA ASSORBITA

6,4 kVA

4,9 kW

~~€561,²⁵~~

€409,⁰⁰

AW802394

PLASMA 80

PROMO 19

Codice: 53080

80Amp



3PH

INVERTER

3ph

PILOT ARC

AIR PRESSURE

0.4~0.6 Mpa
4~6 Bar



CONNECTOR 35-50



MAX CUTTING THICKNESS (mm)

Cutting Thickness

25 / 30 mm
PLASMA 80

CUTTING / SEPARATION



ACCESSORI INCLUSI



TENSIONE DI RETE

400V~3ph

POTENZA ASSORBITA

14 kVA



~~€1.745,⁵⁰~~

€1.263,⁰⁰

AW907390

THOR 450

Codice: 75210



CHARGE
Effective current: 63A (12V) 47A (24V)
EN60335: 40A (12V) 30A (24V)
BOOST
Effective current: 285A (12V) 250A (24V)
EN60335: 180A (12V) 160A (24V)



12-24V


PROMO 20

~~€497,50~~
€339,00

AW401997

THOR 650

Codice: 75310



CHARGE
Effective current: 80A (12V) 89A (24V)
EN60335: 50A (12V) 53A (24V)
BOOST
Effective current: 435A (12V) 330A (24V)
EN60335: 290A (12V) 220A (24V)



12-24V


PROMO 21

~~€588,50~~
€409,00

AW302396

THOR 750

Codice: 75410



CHARGE
Effective current: 88A (12V) 90A (24V)
EN60335: 55A (12V) 56A (24V)
BOOST
Effective current: 600A (12V) 570A (24V)
EN60335: 400A (12V) 380A (24V)




12-24V

PROMO 22

~~€672,50~~
€477,00

AW802795

AWELCO



Inquadra il QR-code
per visualizzare la versione
aggiornata del catalogo.

THE ITALIAN TECHNOLOGIES



Zona Industriale - 83040

Conza della Campania (AV) - Italy

Tel. (+39) 0827 363601 - Fax. (+39) 0827 36940

info@awelco.com - www.awelco.com